



INTELECT® RPW 2

Next Generation Shockwave Therapy

TREAT DEEPER. FASTER. EASIER.

The Intelect® RPW 2 brings the next generation of shockwave therapy to the treatment room using Radial Pressure Wave technology. Designed to activate connective tissue from the surface level to difficult-to-reach pathologies, the new Intelect® RPW 2 is a modality for addressing pain and inflammation in orthopaedic conditions.*

Chattanooga Intelect® RPW 2 can provide clinicians with an effective and efficient platform that can assist in activating connective tissue with difficult to reach pathologies ^{2, 3, 4, 5} while helping to reduce wear and tear on the clinician's hands and arms.

EASE OF USE

Incorporating high resolution touch screen technology, the Intelect® RPW 2 was created with ease of use for the clinician in mind. The clinical protocols library provides a visual anatomical and pathological library as well as treatment guidelines to aid the clinician in providing effective treatments for a large range of pathologies. The Chattanooga Intelect® Connect App provides a seamless transition of patient data from the device to the PC, allowing the clinician to produce reports and to share patient data across other Chattanooga devices. Built with ease of use in mind, the Intelect® RPW 2 includes the new ergonomic Falcon® Handpiece and convenient storage placement of device accessories.

TREAT A WIDE RANGE OF PATHOLOGIES ^{2, 3, 4, 5}

Now available with a broader range of pressure settings and 21 unique transmitter attachments, the Intelect® RPW 2 can be customized to help treat a wide range of pathologies. With guidelines on recommended transmitters for specific conditions, clinicians can address tendinopathies and myofascial trigger points as well as pain and inflammation. The versatility offered by Intelect® RPW 2 makes it the true difference maker as your next revenue generating clinical asset.

PATIENT COMFORT

Featuring the new Falcon® Handpiece and treatment transmitters, the Intelect® RPW 2 is equipped with a broader range of bar pressures to help assist in patient comfort during treatment. Chattanooga's proprietary 'Comfort Mode' provides an automatic energy ramp up, to help create a more comfortable treatment experience for the patient.

KEY FEATURES



SUGGESTED PROTOCOLS LIBRARY

Available at a finger click; treatment pictures, anatomical and pathological library, treatments guidelines.

LARGE GRAPHIC COLOR TOUCH SCREEN

High resolution 7" capacitive touch screen for enhanced user experience.

NEW FALCON® HANDPIECE

allowing lower Bar pressures for an increased range of indications and applicators.

PROPRIETARY COMFORT MODE

Unique automatic energy ramp up designed to provide better patient comfort.

V-ACTOR® HF*

Vibration frequency up to 50Hz for Vibration therapy and muscle relaxation.



LARGE CHOICE OF TRANSMITTERS*

17 different transmitters available for tendinopathies, trigger points, spine and fascia treatments.

EASY FIT FOR EVERY TREATMENT ROOM

With its slim design and built-in rolling cart, the Intelect ® RPW 2 moves around the treatment room with ease.

WINDOWS 10 APP

The Intelect Connect App* gives great flexibility in the handling and processing patient data, allowing the export of patient treatment data and protocols from device to PC allowing not only the ability to produce reports but also to share treatments and patient data between multiple Intelect RPW 2 devices within a practice and in other smart enabled Chattanooga devices.

Download the Intelect® Connect App free from www.chattanoogarehab.com



FALCON®, V-ACTOR®, SPINE-ACTOR®, and PERI-ACTOR® are registered trademarks of Storz Medical AG



TARGETED PAIN RELIEF

The Intelect® RPW 2 allows for the treatment of indications with radial, pneumatically-generated, low-energy acoustic waves, or 'pressure pulses'. The applied pressure pulse propagates radially within the tissue, generating a therapeutic effect.

The V-ACTOR® HF optional hand piece allows mechanical vibration, for high frequency vibration massage.

INDICATIONS

- ACHILLES TENDINOPATHY 1
- DISORDERS OF TENDONS INSERTIONS ²
- MYOFASCIAL TRIGGER POINTS 3
- PAIN & INFLAMMATION IN ORTHOPAEDIC CONDITIONS 4
- PLANTAR FASCIITIS 5
- PULSE VIBRATION MASSAGE 6

INTENDED TO BE USED TO HELP:

- REDUCE MUSCLE PAIN AND ACHES
- TEMPORARILY INCREASE BLOOD FLOW
- ACTIVATE CONNECTIVE TISSU

Common painful conditions that can be treated by Radial Pressure Wave (RPW) therapy to help reduce pain, increase blood flow and activate connective tissue in the affected area.*

Myofascial Trigger Points (MTrP): Localizing and Deactivating Trigger Points

 Triggers are localized at the low energy level (approximately 2 bar) by passing the transmitter over the muscle region being treated (increased sensitivity to pain) and then deactivated using a higher energy level (approximately 3 bar).

Activation of Muscle and Connective Tissue: Increasing Circulation

 \cdot Promotes blood flow through the tissue and boosting metabolism.

Pulse Vibration Massage

 $\boldsymbol{\cdot}$ Soothing relief from muscle strain and stress.

Disorders of Tendon Insertions: Plantar Fasciitis, Heel Pain, or Heel Spur

· Plantar Fasciitis is an inflammatory condition of the foot caused by excessive wear to the plantar facia that supports the arch

Tendinosis Calcarea/Supraspinatus-Tendon: Shoulder calcifications and chronic shoulder pain

Radial and Ulnar Humeral Epicondylitis: Tennis elbow, inflammation of tendon attachments on cubital or radial part of elbow joint (humeral)

Achillodynia: Pain due to inflammation of the Achilles tendon or the bursa associated with it.

Retropatellar Pain Syndrome: Pain in the front of, behind, and around the kneecap.

Tibial Edge Syndrome: Pain located along or just behind the medial edge of the tibia

Proximal Iliotibial band Friction Syndrome/Trochanteric Insertion Tendonitis: Pain or aching on the outer side of the knee or hip

*For detailed information please read the contraindications, side effects, precautions and safety instructions within the user manual prior to the treatment.

RECOMMENDED TREATMENT GUIDELINES

- LOCALIZE THE PAINFUL AREAS YOU PLAN TO TREAT
- SELECT MOST APPROPRIATE TRANSMITTERS BASED ON TREATMENT GOAL AND TARGETED TISSUE
- APPLY ULTRA SOUND WATER BASED GEL ON THE SKIN OVERLYING THE TREATMENT AREA
- ALWAYS START WITH LOWER LEVEL OF INTENSITY
- PERFORM A POST-TREATMENT TEST TO SEE FOR BETTER FUNCTION AND DECREASED IN PAIN

As a result of clinical evidence, most treatment protocols are based on 5 to 10 sessions of 1,500-2,500 shocks.





Access to an online education platform and scientific research library is offered to every Chattanooga® Intelect® RPW 2 user

CLINICAL INFORMATION

 Gerdesmeyer L. Current evidence of extracorporeal shock wave therapy in chronic Achilles tendinopathy. NCBINCBI Log. Int J Surg. 2015 Dec;24(Pt B):154-9. doi: 10.1016/j.ijsu.2015.07.718. Epub 2015 Aug 29."

2. Gerdesmeyer L. Current evidence of extracorporeal shock wave therapy in chronic Achilles tendinopathy. NCBINCBI Logo Int J Surg. 2015

. Nedelka T.Mechano-transduction effect of shockwaves in the treatment of lumbar facet joint pain.Neuro Endocrinol Lett. 2014

. Schmitz C. Efficacy and safety of extracorporeal shock wave therapy for orthopedic conditions: a systematic review on studies listed in the PEDro database.Br Med Bull. 1015;116:115-38. doi: 10.1093/bmb/ldv047. Epub 2015 Nov 18.

Ogden JA. Shockwave therapy for chronic proximal plantar fasciitis: a meta-analysis. Foot Ankle Int. 2002 Apr;23(4):301-i

i. S. Broadbent, JJ. Rousseau, RM. Thorp, SL. Choate, FS. Jackson, DS. Rowlands. Vibration therapy reduces plasma IL6 and muscle soreness after downhill running 1010 Sep;44(12):888-94

INTELECT® RPW 2 TRANSMITTERS

A choice of standard transmitters for Radial Pressure Wave (RPW) indications.

Each transmitter is unique by shape and material to deliver it's own energy flux density and wave profile.

TRIGGER POINTS / TENDINOPATHIES



15 mm Energy beam transmitter with concave coupling surface, best for pain zones near the skin surface

Penetration depth 0-35mm Intensity level: Medium



15mm transmitter for any type of tendinopathies

Penetration depth 0-35mm Intensity level: Medium



C15 CERAma-x®

Ceramic Energy 15mm transmitter for any type of tendonopathies Penetration depth 0-35mm Intensitu level: High



Golden Depth 15mm Deep Impact®transmitter for deep target areas, chronic disorders, local trigger points

Penetration depth 0-60mm Intensity level: High



Acupuncture like transmitter 6mm for local trigger points Penetration depth 0-20mm

Intensity level: Low



Finger transmitter 10mm for deep target tendonopathies

Penetration depth 0-40mm Intensity level: High



White soft transmitter 15mm for superficial pain regions, muscles of mastication, cervical spine

Penetration depth 0-30mm Intensity level: Very Low



Soft flexible tipped transmitter 15mm for highly sensitive regions and triggerpoints in the cervical spine

Penetration depth 0-15mm Intensity level: Low





Standard Oscillator, 20mm transmitter or muscle and connective tissue

Penetration depth 0-50mm Intensity level: Medium



Golden Oscillator 20mm transmitter for professional athletes, High energy application

Penetration depth 0-50mm Intensity level: Very High



Large oscillator 35mm for large muscles and connective tissue Penetration depth 0-60mm

Intensity level: Medium

SPINE TREATMENTS

Double Tip shape to allows treatments of the paravertebral region

SPINE-ACTOR®

3 sizes span from 20 to 35mm







FASCIA TREATMENTS

Unique shape especially designed to dissolve clots in the Fascia structures



PERI-ACTOR® KNUCKLE

For Medium-sized and large fasciae thoracolombar fasciae, plantar fasciae, trigger bands, shoulder and neck region



PERI-ACTOR SCOOP

Treatment at or below the edges of bones: Front iliac crest, edge of the tibia



PERI-ACTOR® SCRAPER

Treatment of all fasciae trigger band



PERI-ACTOR SPHERE

Punctual treatment of fasciae: Plantar fasciae, Arch of foot, Hand, Trigger points, Cervical spine Fasciae





10mm for superficlea trigger points




25mm for muscle massage



40mm for large muscles groups

FALCON®, V-ACTOR®, SPINE-ACTOR®, and PERI-ACTOR® are registered trademarks of Storz Medical AG



chattanooga®

INTELECT® RPW 2

ORDERING INFORMATION

PART NUMBER	DESCRIPTION
2176KIT	Intelect® RPW 2 120V AC~50 - 60 Hz 350VA

STANDARD ACCESSORIES

PART NUMBER	DESCRIPTION
18080	FALCON® handpiece, including 2x projectile; 2x guiding tube; 1 cleaning brush, 1x wrench; 1x allen key
1x Power cord with EU plug for 2174KIT, 1x Power cord with North American plug for 2173KIT, 1x Power cord with Japanese plug for 2175KIT	

13-28660*	Quick start guide booklets (available in multiple languages)
22652	Transmitters tray
22651	Gel bottle support cup
4248	1x Transmission gel, 250 ml

28178	Transmitter Ro40
29724	Transmitter D20-S black
82-0274	Intelect RPW 2 pouch
15-1140	USB Key

OPTIONAL ACCESSORIES

PART NUMBER	DESCRIPTION	
81-0133	Intelect® RPW2 PRO Package-Optional Accessory Kit includes 19365 V-Actor HF handpiece with V25 & V40 Transmitters, the 29728 Di15 Gold Transmitter & 29539 Atlas (soft) RPW Transmitter.	
18080	FALCON handpiece, including 2x projectile; 2x guiding tube; 1 cleaning brush, 1x wrench; 1x allen key	
29104	Revision kit short including 2x projectiles; 2x guiding tubes short; 2x o-ring set; 1x o-ring guide	

29801	A6 transmitter black
29802	T10 transmitter black
29729	C15 transmitter black
29728	DI15 transmitter black
29726	F15 transmitter black
29724	D20-S transmitter black
29725	D35-S transmitter black
28736	D20-T transmitter black
28178	Ro40 transmitter red
18638	R15 transmitter black
29539	Atlas RPW transmitter
19365	V-ACTOR® HF handpiece set Including V-ACTOR®, V25 and V40 transmitters
29742	V-ACTOR V10 transmitter
28740	V-ACTOR V25 transmitter
28741	V-ACTOR V40 transmitter
31800	Transmitter box including 9 transmitters (A6, T10, C15, D115, F15, D20-S, D35-S, D20-T, Ro40)
28945	PERI-ACTOR® fascia transmitter set including 4 transmitters
28946	SPINE-ACTOR® transmitter set including 3 transmitters

82-0274	Intelect RPW 2 pouch
22651	Gel bottle support cup
22652	Transmitter tray
4248	24x Transmission gel, 250 ml
14820	Power cord EU
14679	Power cord North America
14821	Power cord JAPAN
14814	Power cord Swiss
14819	Power cord Australia
14815	Power cord UK
14816	Power cord India
14817	Power cord Israel
14818	Power cord Denmark

